



# Work Order (Bid Form)

## WORK ORDER INFORMATION

**Work Order Name:** 14014SO2004

**Work Order Type:** Weatherization

**Audit Name:** 14014SO2004

## CLIENT INFORMATION

**Client Name:**

**Client ID:** 14014SO2004

**Alt. Client ID:** LINCOLN

**Address:** , Unit 1216

FAYETTEVILLE, TN 37334

## AGENCY INFORMATION

**Agency:** South Central Human Resource Agency

**Address:** (PO Box 638) 1437 Winchester Highway  
Fayetteville, TN 37334

**Agency Phone:** (931) 433-7182

**Fax:** (931) 433-0074

**Email Address:**

**Agency Contact:** WILLIAMS, ROBERT

**Work Phone:**

**Cell Phone:**

**Email Address:**

**Company Name & License Number:** \_\_\_\_\_

**Contractor's Signature:** \_\_\_\_\_

## COMMENT

---

**Client Name:**

**Client ID:** 14014SO2004

**Alt. Client ID:** LINCOLN

**Work Order (Bid Form)**

**Work Order Name:** 14014SO2004

**Report Run On:** 10/6/2011

**DOE Weatherization Assistant**

**Version 8.6.0**

**Page 1 of 8**

## Measures

### Measure 1 Infiltration Redctn

### Components

Inspected

**Comment** TILE CEILINGS DO NOT EXCEDE 35 PA. SEAL AROUND ALL 3 CHIMNEYS. CAULK AROUND BACK DOOR FRAME. SEAL WHERE BATH WALLS MEET CEILING. REPAIR WALL AND REPLACE WINDOW STOOL IN LIVING ROOM..USE BLOWER DOOR TO FIND REMAINING AIR INFILTRATION. SEAL TO TARGET.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Miscellaneous Su	Infiltration Reduction	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	LABOR	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

#### Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

### Measure 2 User-Spec Ceiling R

### Components 1

Inspected

**Comment** INSTALL ACCESS WITH 1X12 PLYWOOD BOX WITH INSULATED (6") TOP, WITH 2 LATCHES, 4 RULERS, BAFFLES BETWEEN EACH RAFTER. BRING UP TO R-38

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Attic Insulation - Blown Cellulose - R-29	SqFt	1184	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	LABOR	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

#### Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 14014SO2004

Alt. Client ID: LINCOLN

#### Work Order (Bid Form)

Work Order Name: 14014SO2004

Report Run On: 10/6/2011

DOE Weatherization Assistant

Version 8.6.0

Page 2 of 8

**Measure 3 DWH Pipe Insulation****Components****Inspected****Comment** INSULATE TANK AND FIRST 6' OF HOT AND COLD PIPES.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
		As per SWFG standards 2.4.1 (page 2-11).			<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	Insulation	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	LABOR	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:****Measure 4 Floor Ins. R-19****Components 1****Inspected****Comment** 2 PART FOAM THE RIM JOIST AT INTERIOR PERIMETER, 148 FT. MOST JOISTS ON 24" CENTERS, BUT SOME CENTERS VARY. INSULATE WITH R-19 BATTS. SEAL AROUND ACCESS DOOR WITH 2-PART FOAM.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Floor Insulation - Fiberglass Batts - R-19	SqFt	1184	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	LABOR	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:**

Client Name:

Client ID: 14014SO2004

Alt. Client ID: LINCOLN

**Work Order (Bid Form)**

Work Order Name: 14014SO2004

Report Run On: 10/6/2011

DOE Weatherization Assistant

Version 8.6.0

Page 3 of 8

**Measure 5 Lighting Retrofits****Components** 1,2**Inspected****Comment** INSTALL 3 IN KITCHEN AND 3 IN LIVING ROOM .☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Lighting	Compact Fl. - 25 Watt	Each Lamp	3	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Compact Fl. - 25 Watt	Each Lamp	3	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Lighting	Compact Fl. - 25 Watt	Each Lamp	3	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
4	Labor	Compact Fl. - 25 Watt	Each Lamp	3	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:****Measure 6 Wall Insulation****Components** E,N,S,W**Inspected****Comment** DENSE PACK ALL EXTERIOR WALLS.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Wall Insulation - Blown Cellulose - 2x4 Filled	SqFt	1048	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	LABOR	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:**

Client Name:

Client ID: 14014SO2004

Alt. Client ID: LINCOLN

**Work Order (Bid Form)**

Work Order Name: 14014SO2004

Report Run On: 10/6/2011

DOE Weatherization Assistant

Version 8.6.0

Page 4 of 8

**Measure 7 Refrigerator Rplcmnt****Components****Inspected**

**Comment** INSTALL ENERGY STAR RATED, PLAIN WHITE, 21.5 CU FT REPLACEMENT. DISPOSE OF OLD UNIT PROPERLY.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Refrigerators	- 21.5 E. STAR REFRIGERATOR	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	LABOR	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:****Measure 8 Replace Htg. System****Components 1****Inspected**

**Comment** INSTALL 3 220 WALL HEATERS WITH FANS. RUN NEW WIRE FROM BREAKERBOX TO HEATERS.. TRIM OUT AROUND HEATERS. HEATERS SHOULD BE LARGE ENOUGH TO HEAT 1200 SQ FTTOTAL OR 400 SQ FT EACH.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Heating Equipme	Space Heater - 51 kBtu/h Elec Existing, 20 - 28 kBtu/h Elec Post	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Space Heater - 51 kBtu/h Elec Existing, 20 - 28 kBtu/h Elec Post	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:**

Client Name:

Client ID: 14014SO2004

Alt. Client ID: LINCOLN

**Work Order (Bid Form)**

Work Order Name: 14014SO2004

Report Run On: 10/6/2011

DOE Weatherization Assistant

Version 8.6.0

Page 5 of 8

**Measure 9 Fix Wiring Problems (Walls)****Components****Inspected****Comment**☐

REPLACE MISSING RECEPTICLE COVERS.(I BEHIND WASHER)

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Equipment	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:****Measure 10 Install Bathroom Exhaust Fan****Components****Inspected****Comment** Bath exhaust fan (none existing). Vent to exterior and cap. Wire into existing light or switch.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Bathroom exhaust fan Bath exhaust fan (none existing). Vent to exterior and cap. Wire into existing light or switch.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Other Detail**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Measure Sub Total:****Sub Total:****Field Notes:**

Client Name:

Client ID: 14014SO2004

Alt. Client ID: LINCOLN

**Work Order (Bid Form)**

Work Order Name: 14014SO2004

Report Run On: 10/6/2011

DOE Weatherization Assistant

Version 8.6.0

Page 6 of 8

**Measure 11 Smoke Detector is Needed****Components****Inspected****Comment**

INSTALL SMOKE/CO COMBO.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Smoke detector / CO detector Combo Install detectors	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<b>Other Detail</b>									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<b>Measure Sub Total:</b>						<input type="text"/>	<b>Sub Total:</b>	<input type="text"/>	

**Field Notes:****Measure 12 Vapor Barrier Needed  
(Basement/Crawlspace)****Components****Inspected****Comment** Install vapor barrier on ground and 6" up foundation wall and secure.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	6 mil poly Install vapor barrier on ground and 6" up foundation wall and secure.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<b>Other Detail</b>									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<b>Measure Sub Total:</b>						<input type="text"/>	<b>Sub Total:</b>	<input type="text"/>	

**Field Notes:****Work Order Grand Total:****Grand Total:**

Client Name:

Client ID: 14014SO2004

Alt. Client ID: LINCOLN

**Work Order (Bid Form)**

Work Order Name: 14014SO2004

Report Run On: 10/6/2011

DOE Weatherization Assistant

Version 8.6.0

Page 7 of 8

---

*Client Name:*

*Client ID:* 14014SO2004

*Alt. Client ID:* LINCOLN

**Work Order (Bid Form)**

Work Order Name: 14014SO2004

Report Run On: 10/6/2011

DOE Weatherization Assistant

Version 8.6.0

Page 8 of 8